



Rely on it.



RENOLIT ALKORPLAN 2000/3000/TOUCH/CERAMICS

Reinforced pool liner to enhance your swimming pool

www.renolit.com/swimmingpool



Make your
swimming pool
fashionable



If you want an attractive pool that will give you no problems, RENOLIT ALKORPLAN reinforced liner is the perfect product to achieve this.



With RENOLIT ALKORPLAN this won't happen ...!

Reinforced membranes are the most widely-used pool liners in the world.

Nowadays, it is the most advantageous system on the market and the one presents the fewest problems. Its attractive appearance, reasonable price, fast and easy installation and absolute water-tightness, guaranteed for 10 years, have made it the most widely-used pool waterproofing system in the world.



Minimum maintenance... and very easy to clean!

No more detached mosaic tiles.

No more black joints.

No more flaking paintwork.

We offer you
the pool of
your dreams.



**RENOLIT ALKORPLAN makes your dreams
come true.**


Our pool liners convert even the most modest pool into the centre of attraction in your garden, regardless of its size or its location.

RENOLIT ALKORPLAN and its many options help you create a unique and exclusive setting for your enjoyment.

No matter what your garden looks like RENOLIT ALKORPLAN allows you to create an unique, customised area just for you.

**RENOLIT
ALKORPLAN**
is the only reinforced liner
that can guarantee the
waterproofing of your pool,
regardless of its
location.

Guarantee
10 years
Watertightness



How many
reinforced pool
liners are able to
overcome
this test?

Compatible
with almost
any material!



RENOLIT ALKORPLAN allows you to enjoy your
pool in peace, without worrying about leaks.

RENOLIT ALKORPLAN is the perfect liner for rooftop
pools, basement pools or in any place where there
are cracks or micro pores that could cause damp,
water leaks or flooding.

The perfect solution for large pools.



Hundreds of hotels in this country now have RENOLIT ALKORPLAN pools.



RENOLIT ALKORPLAN is the ideal liner for residential pools and public swimming pools.

Many hotel pools, Olympic pools or aquatic park pools in Europe have RENOLIT ALKORPLAN liners installed in them, as apart from requiring minimum maintenance, they guarantee complete water-tightness and it is possible to install them in half the time it takes to install other systems. Their flexibility and resistance allow them to adapt to any pool shape and cope with large user flows.

Benefits of the RENOLIT ALKORPLAN liner in public swimming pools.

- It can be installed on any surface.
- Clean installation, with no noise and in half the time it takes to install other liners.
- It requires practically no maintenance.
- Ideal for renovating pools with problems or those in places difficult to access.
- No matter the size and shape of the pool.

Although the installation of RENOLIT ALKORPLAN is fast and easy, it should always be installed by qualified professionals to ensure a completely watertight finish.

If you have any questions or need more information, please contact us at www.alkorplan.info



The lacquer lengthens the life of the liner.

For all pool sizes and shapes!




Benefits of the lacquer.

- 1 Prevents the development of bacteria and fungi, making the pool more hygienic.
- 2 Protects the liner from UV radiation and prevents its premature ageing.
- 3 Repels dirt and stains, and facilitates the cleaning of the liner.
- 4 Acts as a shield against abrasion and grazes due to continual use.


RENOLIT ALKORPLAN is the only brand that markets its 2000, 3000, TOUCH and CERAMICS pools liners with a special lacquer coating that protects them from scratches, stains, bacteria and UV radiation, preventing them from premature ageing.



RENOLIT ALKORPLAN2000: Unicolor with lacquer




White		Sand		Light Blue		Adriatic Blue	
1,65 m	35216202	1,65 m	35216210	1,65 m	35216205	1,65 m	35216203
2,05 m	35216201	2,05 m	35216211	2,05 m	35216208	2,05 m	35216207



Caribbean Green		Light Grey		Dark Grey	
1,65 m	35216204	1,65 m	35216236	1,65 m	35416227
2,05 m	35216206	2,05 m	35216233	2,05 m	35416226




RENOLIT ALKORPLAN3000: Printed with lacquer




Blue Greek 1,65 m 35417225	Persia Blue 1,65 m 35417217	Persia Sand 1,65 m 35417220	Persia Black 1,65 m 35417222
Mosaic 1,65 m 35417202	Carrara 1,65 m 35417214	Marble 1,65 m 35417213	Bysance Blue 1,65 m 35417209
			Platinum 1,65 m 35417402

RENOLIT ALKORPLAN Unicolor Non-Slip

Available in the entire RENOLIT ALKORPLAN2000



White 1,65 m 81116501	Sand 1,65 m 81116505	Light Blue 1,65 m 81116504	Adriatic Blue 1,65 m 81116502
---------------------------------	--------------------------------	--------------------------------------	---



Caribbean Green 1,65 m 81116203	Light Grey 1,65 m 81116506	Dark Grey 1,65 m 81122527
---	--------------------------------------	-------------------------------------



RENOLIT ALKORPLAN CERAMICS range




	Ref.	Width (m)	Thickness (mm)	Length (m)
	Sofia 35617201	1,65	2,0	21
	Atenea 35617202	1,65	2,0	21
	Selene 35617203	1,65	2,0	21
	Etna 35617204	1,65	2,0	21



RENOLIT ALKORPLAN Non-Slip print

Only available in the RENOLIT ALKORPLAN3000 Persia Blue, Carrara and Bysance Blue.



Persia Blue 1,65 m 81122317	Carrara 1,65 m 81122314	Bysance Blue 1,65 m 81122309
---------------------------------------	-----------------------------------	--




RENOLIT ALKORPLAN2000 White



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
White	1,65 m	1,5 mm	35216202
White	2,05 m	1,5 mm	35216201
White Non-Slip	1,65 m	1,5 mm	81116501

Pools that are crystal clear, luminous, fresh, and always elegant, to allow you to enjoy the sun and the summer.

RENOLIT ALKORPLAN2000 Sand



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Sand	1,65 m	1,5 mm	35216210
Sand	2,05 m	1,5 mm	35216211
Sand Non-Slip	1,65 m	1,5 mm	81116505

*Relax in your crystal clear, lukewarm pool
as if you were on an exotic, remote, tropical beach.*

RENOLIT ALKORPLAN2000 Light Blue



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Light Blue	1,65 m	1,5 mm	35216205
Light Blue	2,05 m	1,5 mm	35216208
Light Blue Non-Slip	1,65 m	1,5 mm	81116504

*Eternal pools filled with light, colour and joy
in which to enjoy memorable moments.*

RENOLIT ALKORPLAN2000 Adriatic Blue



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Adriatic Blue	1,65 m	1,5 mm	35216203
Adriatic Blue	2,05 m	1,5 mm	35216207
Adriatic Blue Non-Slip	1,65 m	1,5 mm	81116502

The deep blue of the Mediterranean in colourful, effervescent pools for making the most of the summer.

RENOLIT ALKORPLAN2000 Caribbean Green



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Caribbean Green	1,65 m	1,5 mm	35216204
Caribbean Green	2,05 m	1,5 mm	35216206
Caribbean Green Non-Slip	1,65 m	1,5 mm	81116203

Exotic pools, with crystal clear Caribbean like waters that invite you to break with routine and stress.

RENOLIT ALKORPLAN2000 Light Grey



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Light Grey	1,65 m	1,5 mm	35216236
Light Grey	2,05 m	1,5 mm	35216233
Light Grey Non-Slip	1,65 m	1,5 mm	81116506

Cosmopolitan minimalist and extremely beautiful pools that will never go out of fashion.


RENOLIT ALKORPLAN2000 Dark Grey



RENOLIT ALKORPLAN2000	Width	Thickness	Ref.
Dark Grey	1,65 m	1,5 mm	35416227
Dark Grey	2,05 m	1,5 mm	35416226
Dark Grey Non-Slip	1,65 m	1,5 mm	81122527

Elegant, sensual and eternal pools that will add a note of prestige and beauty to your garden.

RENOLIT ALKORPLAN3000 Blue Greek



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Blue Greek	1,65 m	1,5 mm	35417225

Dreamy pools, crystal-clear, deep blue and relaxing, where you are the star.

RENOLIT ALKORPLAN3000 Persia Blue



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Persia Blue	1,65 m	1,5 mm	35417217
Persia Blue Non-Slip	1,65 m	1,5 mm	81122317

*Classic pools that always look good
are always the best choice.*

RENOLIT ALKORPLAN3000 Persia Sand



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Persia Sand	1,65 m	1,5 mm	35417220

Pools with soft, elegant colours that give off light and harmony, making bathing a treat for the senses.

RENOLIT ALKORPLAN3000 Persia Black



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Persia Black	1,65 m	1,5 mm	35417222

Luxurious, serene, elegant pools that will add a touch of distinction to your garden.

RENOLIT ALKORPLAN3000 Mosaic



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Mosaic	1,65 m	1,5 mm	35417202

Beautiful, glimmering pools that evoke the luxury of the magnificent times of yesteryear.

RENOLIT ALKORPLAN3000 Carrara



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Carrara	1,65 m	1,5 mm	35417214
Carrara Non-Slip	1,65 m	1,5 mm	81122314

Happy pools with bluish tones and elegant prints, perfect for pool shells with irregular shapes or those with flaws.


RENOLIT ALKORPLAN3000 Marble



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Marble	1,65 m	1,5 mm	35417213

Deep blue pools with spectacular glints that attract all gazes, making bathing a pleasure.


RENOLIT ALKORPLAN3000 Bysance Blue



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Bysance Blue	1,65 m	1,5 mm	35417209
Bysance Blue Non-Slip	1,65 m	1,5 mm	81122309

Elegant, distinguished pools that invite you to bathe in them, transmit wellbeing and never go out of fashion.

RENOLIT ALKORPLAN3000 Platinum



RENOLIT ALKORPLAN3000	Width	Thickness	Ref.
Platinum	1,65 m	1,5 mm	35417402

Pools with modern, spectacular designs, with brilliant glints, that will be the most prized jewel in your garden.

No detached tiles or crumbling grouting!!



New

RENOLIT ALKORPLAN CERAMICS



It looks like... but isn't!

RENOLIT ALKORPLAN CERAMICS a 2mm embossed pool liner with the aesthetic appeal and texture of the mosaic tiled designs of Greek Myths.

With the aesthetics of classic Greece, **RENOLIT ALKORPLAN CERAMICS** is one of the most thicker, resistant and lasting liners of the market.

Advantages of the system:

- 1 Guaranteed watertight.
- 2 Quick and easy installation compared to glass mosaic tiling.
- 3 No fallen tiles or crumbling grout.
- 4 Minimum maintenance.
- 5 The 2mm thickness creates a more durable and resilient membrane.
- 6 Easy to weld with an immaculate finish.

Ideal for new pools and for renovations!

It is installed over the existing substrate in half of the time than other linings. It guarantees the watertightness for 10 years with minimal maintenance!

RENOLIT ALKORPLAN CERAMICS



It looks like... but isn't!

No detached tiles or crumbling grouting!!



Selene
1,65 m 35617203

Selene

Silver-winged goddess of the moon: she captivated the hearts of the classic poets and now dazzles in the pools that have her. Selene, with a white lunar finish will captivate those who contemplate her celestial waters, clear as the sky on a summer's day.



RENOLIT ALKORPLAN CERAMICS



It looks like... but isn't!

No detached tiles or crumbling grouting!!



Etna
1,65 m 35617204

Etna

The Nymph that gave name to a volcano where the rays of Zeus, God of all the Gods, were forged. This lining is restrained and elegant, making the pools spectacular and majestic, appropriate for a god.



RENOLIT ALKORPLAN CERAMICS



It looks like... but isn't!



No detached tiles or crumbling grouting!!



Sofia
1,65 m 35617201

Sofia

Goddess of wisdom and source of all knowledge: magical, poetic and mysterious. This salmon-toned lining is perhaps the most sophisticated, in an innovative colour in the swimming pool world, it offers a display of delicate turquoise blue in the water.




RENOLIT ALKORPLAN CERAMICS



It looks like... but isn't!



No detached tiles or crumbling grouting!!



Atenea
1,65 m 35617202

Atenea

Goddess of reason and the protector of Athens, a city bathed in the Mediterranean Sea in which this lining was inspired, an intense blue, so warm, so deep, so ours. Atenea gives the water an unequalled shine and subtlety.



RENOLIT ALKORPLAN TOUCH

Reinforced liner with exclusive 3D designs and prints, inspired by nature.

RENOLIT ALKORPLAN TOUCH reinforced membrane reproduces natural textures and gives personality and character to pool linings, making them unique and original.

It's the pool liner revolution!

Elegance

RENOLIT ALKORPLAN TOUCH

Are you aware of
RENOLIT ALKORPLAN TOUCH?



The reinforced membrane RENOLIT ALKORPLAN TOUCH fulfills the two fundamental objectives of a swimming pool:

- 1 Assure a completely watertight structure.
- 2 The most beautiful finish possible.

The reinforced membrane is the most visible element and will make your pool absolutely unique and exclusive.

RENOLIT ALKORPLAN TOUCH protects your garden and home against possible flooding by pool water. Even if the substructure is cracked, the water will always remain where it should be ... in the pool.

In addition, the relief designs of RENOLIT ALKORPLAN TOUCH give character to any pool and allow you to create a unique and individual space in your garden.

Elegance

RENOLIT ALKORPLAN TOUCH



Reinforced liner with exclusive 3D designs and prints, inspired by nature


You can turn your home into a haven of design and character

RENOLIT ALKORPLAN TOUCH is the first reinforced membrane with a heavily riven stone finish. At 2mm thick it is the strongest and most resistant liner in the market. The imaginative design of the liner makes it the most appropriate element for adding a personal note to your pool and making your home a unique place. The TOUCH liners emulate nature through adding a simulated stone finish to exotic baths, adding personality and singularity to the pools in which they are used, making each pool unique.

You will have a unique and exclusive pool!




Sublime



Authentic
1,65 m 35517402



Relax
1,65 m 35517401




Elegance
1,65 m 35517301
1,65 m Non-Slip 81122401



Vanity
1,65 m 35517409



Sublime
1,65 m 35517407



Prestige
1,65 m 35517403

RENOLIT ALKORPLAN TOUCH Authentic




RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Authentic	1,65 m	2 mm	35517402



Rustic pools with exquisite stone textures, creating different tones in the water, brilliant and colourful, perfect for natural settings or country gardens.

RENOLIT ALKORPLAN TOUCH Relax




RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Relax	1,65 m	2 mm	35517401



Sensual, exotic pools with golden sand and brilliant turquoise reflections, that will take you to the remote beaches of the Caribbean.

RENOLIT ALKORPLAN TOUCH Elegance



RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.	
Elegance	1,65 m	2 mm	35517301	
Elegance Non-Slip	1,65 m	2 mm	81122401	

Luxurious, seductive, unique pools in deep blue tones that will captivate you at first sight and turn your home into an elegant palace.

RENOLIT ALKORPLAN TOUCH Vanity



New

RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Vanity	1,65 m	2 mm	35517409



Spectacular, ostentatious white Marble Swimming Pools that will be the Pride of the Owners.

RENOLIT ALKORPLAN TOUCH Sublime



New

RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Sublime	1,65 m	2 mm	35517407



Imitative of travertine limestone that creates pools with warm reflections ideal for exclusive and naturalist settings.

RENOLIT ALKORPLAN TOUCH Prestige



New

RENOLIT ALKORPLAN TOUCH	Width	Thickness	Ref.
Prestige	1,65 m	2 mm	35517403



A liner that creates a pool which invokes a volcanic rock paradise, conceived for designer and minimalist settings.

If you want to enhance your swimming pool and make it more comfortable use **RENOLIT ALKORPLUS** geotextile under the reinforced membrane.

The **RENOLIT ALKORPLUS** geotextile is non-woven and treated with a fungicide. It lines the swimming pool before the installation of the reinforced membrane and protects against bacterial staining; irregularities of the substrate; and hides weld lines.

NOT ALL GEOTEXTILES ARE THE SAME!!

RENOLIT ALKORPLUS geotextile is made of blue polypropylene, which is rot-proof, and always marked with the **RENOLIT ALKORPLUS** brand.

Advantages:

- 1 The fungicide treatment prevents the proliferation of bacteria under the membrane.
- 2 The geotextile disguises any small imperfection that may exist in the structure of the substrate under the membrane.
- 3 A much more comfortable feel for the bather.
- 4 Helps to maintain the temperature of the pool water.



Reference	Width (m)
81006005	1,50 *
81006006	1,65
81006007	2,00

*Specific for butt welding.

Advice for conserving your RENOLIT ALKORPLAN liner



Carry out a daily test to ensure the the chlorine level is 1ppm and that the pH is between 7.0-7.6

If you disinfect your swimming pool with chlorine or with a salt electrolysis machine it is essential that the level of the chlorine is 1ppm and the pH level is between 7.0 and 7.6.

If you disinfect with bromide the level should be 1ppm and the pH level between 7 and 8. Excessive use of bromide can cause the liner to become brown in colour.



If the pool has a salt chlorinator you must add stabilizer at the beginning of the season

The chlorine generated by the saline electro chlorinator is stronger than normal chlorine.

To dilute add 30ppm of a isocyanuric acid stabilizer at the beginning of the swimming pool season and check daily that level of chlorine at 1ppm and the pH between 7.0 and 7.6.

If your saline electro chlorinator does not have a RedOx chlorine controller you should use a measuring guage. Even if your pool is equipped with an automatic Redox control it is necessary to manually check the chlorine on a very regular basis (daily).


This prevents the chlorinator producing more chlorine than necessary, which could bleach the liner and irritate eyes.



It is necessary that the TA level is maintained between 100 and 175ppm

TA (total alkalinity) represents the water's capacity for neutralising acids. A balanced TA level keeps pH from fluctuating and getting out of control. A TA level under 100 ppm turns water corrosive. Damage to the liner would be irreversible.

We recommend checking the PA level weekly or after rainfall.



Protect your swimming pool in summer and winter and do not empty it

Swimming pools are built to be full of water. They should not be left empty for long periods of time.

In the summer keep the water level constant.

In winter protect skimmers and filter systems against frost. Ask a pool specialist for the best winter treatment to keep the water in perfect condition the following season. Above all cover the swimming pool in winter.




Never use well water or water from an unknown source to fill the swimming pool

If the water does not come for the mains supply or from a guaranteed tanker it is very probable that the water will contain diluted metals such as iron, copper or magnesium.

These minerals can react with the chemical products and produce stains on the liner.

If this happens ask a specialist to carry out a treatment with **RENOLIT ALKORPLUS Antistain**.



No chemical products should come into direct contact with the liner

The correct and safest way of introducing any chemical product into the swimming pool is by using the skimmer with the circulation pump working.

If it is powder, granules or liquid and it is required to be put directly into the swimming pool, it must be diluted before in a bucket of water, and poured into different areas of the swimming pool. The circulation pump must always be in use to prevent concentration of a product in one area.

Avoid the use of floating dispensers because they can spend too much time in the same position and can bleach the liner.



Do not use chemical products which contain copper

Always read the level of the composition of the chemical products that you use, especially those for algae.

Some anti-algae products contain copper sulphate, these should be avoided.

Use anti- algae with a quaternary ammonia base. These are the best products for your hair and your skin. If by accident you have used a product containing copper, you should apply **RENOLIT ALKORPLUS Antistain**.



Avoid a build up of dirt and calcareous deposits on the waterline

The lacquer that protects the **RENOLIT ALKORPLAN** laminate will repel dirt; however, low maintenance and high bathing loads will accelerate the build up of waterline deposits.

Regular cleaning of the waterline with **RENOLIT ALKORCLEAN** applied with a sponge or cloth will prevent the build up of grease and scale and avoid permanent staining.



Never use abrasive tools or aggressive cleaning products

Do not use aggressive chemical products or cleaning equipment, such as solvents; brushes with wire or stiff bristles; and abrasive pads or cloths that will damage the membrane. The liner is coated with a protective lacquer which is stain and dirt resistant, however it may be damaged if cleaned with abrasive materials or solvents.

RENOLIT ALKORCLEAN is an ideal and efficient cleaner for your liner. It may be ordered through your Swimming Pool Specialist.

